

### Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBS534BS0B









#### **Included accessories**

2 x combination grid 1 x universal pan 2 x Universal pan slim size

### Optional accessories

HEZ530000: Half tray

HEZ531000: Baking tray, grey enamelled

HEZ531010: Baking tray, non-stick ceramic coated HEZ538000: 1fold telescopic rail, level independent HEZ634000: Baking and roasting grid (standard)

HEZ636000: Glass pan

HEZ638300 : 3 level telescopic rails, full ext HEZ915003 : Glass roasting dish, 5,4 L

# The built-in oven with 3D hot air: achieve perfect baking and roasting results on up to three levels simultaneously.

- Red LED display control: easy-to-use thanks to the time functions.
- **Pop-out controls:** Make the front of the oven easy to clean and give it a sleek look.
- **EcoClean Direct:** less cleaning effort thanks to a special coating of the rear wall that automatically absorbs grime.
- Cleaning Assistance: less cleaning effort thanks to the new cleaning option, which can be especially used for cleaning of light soiling.
- 2 universal pans, slim size: optimized for smaller amounts of different dishes.

#### **Technical Data**

Color / Material Front : Stainless steel

Construction type: Built-in

Integrated Cleaning system : Catalytic partial, Hydrolytic Min. required niche size for installation (HxWxD) : 585-595 x

560-568 x 550 mm

Dimensions: 595 x 594 x 548 mm

Dimensions of the packed product (HxWxD) :  $675 \times 690 \times 660$ 

mm

Control Panel Material: Stainless steel

Door Material : Glass Net weight : 33.3 kg

Usable volume of cavity: 71 l

Cooking method: Bottom heat, Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling, Pizza setting

First cavity material : Other Oven control : mechanical Number of interior lights : 1

Length of electrical supply cord: 120 cm

EAN code : 4242005057375 Number of cavities (2010/30/EC) : 1

Energy efficiency rating : A

Energy consumption per cycle conventional (2010/30/EC): 0.97

kWh/cycle

Energy consumption per cycle forced air convection (2010/30/

EC): 0.81 kWh/cycle

Energy efficiency index (2010/30/EC): 95.3 %

Connection rating: 2990 W Fuse protection: 13 A Voltage: 220-240 V Frequency: 60; 50 Hz

Plug type: no plug (electrical connection by electrician) Included accessories: 2 x combination grid, 1 x universal pan, 2

x Universal pan, slim size





## Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBS534BS0B

# The built-in oven with 3D hot air: achieve perfect baking and roasting results on up to three levels simultaneously.

#### Design

- LED-Display Control (Red)
- Rotary dial, Retractable control dials, round
- Straight bar handle

#### **Features**

- Control panel lock
- Electronic clock timer
- Interior halogen light
- Integral cooling fan
- 5 shelf positions
- Heating-up indicator Automatic start

#### Cleaning

- EcoClean Direct : back panel

#### **Programmes/functions**

- Oven with 7 PC heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, bottom heat, Hotair gentle
- Fast pre-heating function

#### **Accessories**


- 1 x universal pan, 2 x combination grid, 2 x Universal pan, slim size


### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
  Energy consumption per cycle in conventional mode:0.97 kWh
  Energy consumption per cycle in fan-forced convection
  mode:0.81 kWh
- Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre capacity
- Temperature range 50 °C 275 °C
- Total connected load electric: 2.99 KW
- Nominal voltage: 220 240 V
- 120 cm Cable length
- Appliance dimension (hxwxd): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual




# Series 4, Built-in oven, 60 x 60 cm, Stainless steel HBS534BS0B






measurements in mm

Installation with a hob.



measurements in mm



A: 19.5 mm B: Space for appliance connection 320 x 115 mm