
N 50, Built-in double oven, Graphite U1ACE2HG0B







Included accessories

 $3 \times \text{combination grid}, 1 \times \text{universal pan}$

Optional accessories

Z11AB15A0	Baking tray, non-stick ceramic coated
Z11CB10E0	Baking tray, grey enamelled
Z11CR10X0	Baking and roasting grid (standard)
Z11TF36X0	3 level telescopic rails, full ext
Z11TI15X0	Cliprails

Double built-in oven - perfect for grilling, baking and roasting of multiple dishes at the same time.

- $\sqrt{\rm CircoTherm^{\odot}}$ Smart hot-air solution that lets you bake on up to three levels at once.
- $\sqrt{}\,$ EasyClean this special cleaning aid provides uncomplicated, energy-saving cleaning of the oven interior.
- $\sqrt{\rm \ LCD-Display-simple,\ straightforward}$ with large characters for clear reading
- $\sqrt{}$ Cliprails Place dishes exactly where you want them in your oven.

Features

Technical Data Color / Material Front : Graphite Construction type : Built-in Integrated Cleaning system : No Dimensions : 888 x 594 x 550 mm Dimensions of the packed product (HxWxD) : $960 \times 690 \times 660$ mm Control Panel Material : Glass Door Material : Glass Net weight : 51.0 kg Usable volume of cavity : 71 | Cooking method : Conventional heat, Full width grill, Hot Air, Hotair gentle, Hot air grilling Oven control : mechanical Number of interior lights : 1 Approval certificates : CE, VDE EAN code : 4242004265146 Energy efficiency rating : A Energy consumption per cycle conventional (2010/30/EC) : 1.02 kWh/cycle Energy consumption per cycle forced air convection (2010/30/EC) : 0.81 kWh/cycle Energy efficiency class (2010/30/EC) - cavity 2 : B Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83 kWh/cycle Energy efficiency index (2010/30/EC) : 95.3 % Energy efficiency index cavity 2 (2010/30/EC) : 120.3 % Connection rating : 5900 W Fuse protection : 32 A Voltage : 220-240 V Frequency : 50 Hz Plug type : fixed connection, no plug



N 50, Built-in double oven, Graphite U1ACE2HG0B



Features

Features

- Temperature range 50 °C 275 °C
- Cavity volume: 71 litre

Level independent telescopic rails

- 4 shelf positions
- 1 Clip rail, Stop function

Design

- Graphite-Grey Edition
- Elongated designed dials, Retractable control dials, Bevelled oval controls
- Cavity inner surface: enamel grey

Cleaning

- EasyClean
- Full glass inner door

Programmes/functions

- LCD Display (White)
- Electronic clock timer
- Heating up indicator
- Automatic start
- Bar handle
- Manual rapid heating up
- Interior halogen light
- Cooling fan
- Stainless-steel fan

Accessories

• 3 x combination grid, 1 x universal pan

Features

- Heat reflective glass
- Control panel lock

Technical information

- Nominal voltage: 220 240 V
- Total connected load electric: 5.9 KW
- Energy efficiency rating (acc. EU Nr. 65/2014): A Energy consumption per cycle in conventional mode:1.02 kWh Energy consumption per cycle in fan-forced convection mode:0.81 kWh

Number of cavities: Main cavity Heat source: electrical Cavity volume:71 litre

Performance/technical information

- Appliance dimension (hxwxd): 888 mm x 594 mm x 550 mm
- Niche dimension (hxwxd): 875 mm 888 mm x 560 mm 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual
- We recommend you to choose complementary products within N50, in order to assure an optimal design combination of your Built-In appliances.

N 50, Built-in double oven, Graphite U1ACE2HG0B



